

# **Product**

---

# **book**

---

**Client : DFE**

**Project : Lot 1- Loose Furniture**

# Contents

Classroom Range	3-6
Primary Classroom Range	7-8
Science Laboratory	9

# Classroom range

Chair, seat and back with 4 legs



Compliant with DFE specification:

- a. Fully compliant with BS EN1729 Parts 1 & 2
- b. Seat and back integrally moulded to legs
- c. Antistatic
- d. Non-scratch legs with foot ferrules inserted and flush to external diameter of tubular legs. Integral moulded legs.
- e. Seat and back shall be easy to clean and stain resistant
- f. Stackable

Sizemarks 2, 3 or 4 for pupils up to 11 years

Sizemark 5 for pupils 11-14 years

Sizemark 6 for pupils older than 14+ years

Warranty: 20 years

Chair, seat and back with skid base



Compliant with DFE specification:

- a. Fully compliant with BS EN1729 Parts 1 & 2
- b. Seat and back integrally fixed with tamper-resistant fixings to leg frame
- c. Antistatic
- d. Spacer feet/ferrules fitted to frame for floor protection as applicable
- e. Anti-tilt frame
- f. Seat and back shall be easy to clean and stain resistant
- g. Stackable

Sizemarks 2, 3 or 4 for pupils up to 11 years

Sizemark 5 for pupils 11-14 years

Sizemark 6 for pupils older than 14+ years

Warranty: 10 years

# Classroom range

Stool, seat only with skid base frame



Compliant with DFE specification:

- a. Fully compliant with BS EN1729 Parts 1 & 2
- b. Single piece seat integrally fixed with tamper-resistant fixings to leg frame
- c. Antistatic
- d. Spacer feet/heavy duty ferrules fitted to frame for floor protection as applicable

Sizemarks 2, 3 or 4 for pupils up to 11 years

Sizemark 5 for pupils 11-14

Sizemark 6 for pupils older than 14+ years

Warranty: 10 years

Pupil table: rectangular, trapezoidal and semi circular



Compliant with DFE specification:

- a. Fully compliant with BS EN1729 Parts 1 & 2
- b. Table top, manufactured board, minimum thickness 18mm with high pressure applied laminate and balance laminate
- c. Table top edging : bull-nosed lacquered MDF
- d. Stackable

## Dimensions

1100 W x 550 D Sizemarks 2, 3 or 4 for pupils up to 11 years

1100 W x 550 D or 1200 W x 600 D for Sizemark 5 for pupils 11-14

1200 W x 600 for Sizemark 6 for pupils older than 14+ years

Warranty: 10 years

# Classroom range

Open 9 bay storage unit



Compliant with DFE specification:

- Fully compliant with BS EN 16121+A1:2017 (or equivalent)
- Carcass, minimum of 18mm thickness manufactured melamine faced board, edged in pressure applied matching 2mm thick ABS
- Top 18mm thickness, melamine faced with applied 2mm thick ABS
- Backing board, manufactured board, minimum 8mm thickness set into carcass back.
- Plinth, laminated manufactured board, 15mm thickness, set into carcass.

**Dimensions (mm)**

1000 W x 500 D x 750 H

Warranty: 10 years

Teachers table: rectangular



Compliant with DFE specification:

- Fully compliant with BS EN 1729-1 and 2 or BS EN 527-1 and 2 Table top, manufactured board, minimum thickness 18mm with high pressure applied laminate and balance laminate.
- Laminates shall meet the requirements of BS EN 438-3 and 4:2016 and BS EN 438-9: 2017.
- Table top edging- bull-nosed lacquered MDF.
- Steel leg frame finished with epoxy powder coating and levelling feet.

**Dimensions (mm)**

1200 W x 800 D

If compliant with EN 1729-1, height shall be Sizemark 6, otherwise compliant with heights set out in BS EN 527-1

Warranty: 10 years

# Classroom range

## Teachers pedestal unit



### Compliant with DFE specification:

- a. Fully compliant with BS EN 14073 Parts 2 and 3
- b. Carcass unit, manufactured board, minimum thickness 18mm (including back) with high pressure applied laminate edged in pressure applied matching 2mm thick ABS.
- c. 2no. drawers, minimum core thickness of 15mm
- d. 2 drawer fronts, minimum core thickness of 18mm melamine faced, edged in pressure applied matching 2mm thick ABS.
- e. Barrel lock and 2 keys.
- f. 4no. nylon swivel castors.

### Dimensions (mm)

500 W x 500 D x table height/below table height

Warranty: 10 years

## Teachers operator chair



### Compliant with DFE specification:

- a. Fully compliant with BS 5459-2:2000, BS EN 1335-2:2009 and BS EN 1335-3:2009
- b. Upholstered seat and back
- c. Gas adjustable seat height
- d. No arms
- e. Suitable for persons up to 110kg.

### Dimensions (mm)

sw460 x sd450 x sh460-580

Warranty: 10 years

# Primary classroom range

12 or 18 tray unit mobile storage unit complete with trays



Compliant with DFE specification:

- Fully compliant with BS EN 16121+A1:2017 (or equivalent)
- Carcass, minimum of 18mm thickness manufactured board melamine faced edged in matching 2mm thick ABS
- Top, manufactured board, minimum of 18mm thickness edged in pressure applied 2mm thick ABS
- Backing board, minimum 8mm thickness set into carcass back, laminated on one side.
- Tray runners to capture tray top and bottom.
- 2no. nylon swivel double wheel castors, 2no. nylon swivel double wheel castors braked, non-marking.

**Dimensions (mm)**

1050 W x 475 D and 700 W x 475 D

Warranty: 10 years

Mobile 4 bay kinderbox



Compliant with DFE specification:

- Fully compliant with BS EN 16121+A1:2017 (or equivalent)
- Carcass and inner panels, manufactured board, minimum of 18mm thickness manufactured board melamine faced. Edged in pressure applied matching 2mm thick ABS
- matching 2mm thick ABS
- Rigid doweled construction.
- 2no. nylon swivel double wheel castors, 2no. nylon swivel double wheel castors braked, non-marking.

**Dimensions (mm)**

600 W x 600 D x 300 H

Warranty: 10 years

# Primary classroom range

## Double sided mobile bookcase



### Compliant with DFE specification:

- a. Fully compliant with BS EN 16121+A1:2017 (or equivalent)
- b. Carcass, manufactured board, minimum of 18mm thickness manufactured board, melamine faced. Edged in pressure applied matching 2mm thick ABS.
- c. Backing board, minimum 8mm thickness set into carcass back, laminated on one side.
- d. 1no. fixed shelf and 2no. adjustable shelves per side, manufactured board, 15mm thickness melamine faced on both faces, edged in pressure applied matching 2mm thick ABS.
- e. 8no. nylon swivel castors, 4no. nylon swivel castors locking,
- f. 3no. safety hinges with restrictor at 100o where appropriate.
- g. 2no. clasps where appropriate.

### Dimensions (mm)

700 W x 600 D x 1000 H

Warranty: 10 years



# Science laboratory

## Pupil science laboratory table



Compliant with DFE specification:

- a. Fully compliant with BS EN1729 Part 2
- b. Minimum 16mm solid grade laminate, with moisture, heat (up to 180o) and chemical resistance - Trespa Toplab base worktop.
- c. Edges chamfered and polished smooth
- d. 25mm fully welded square steel H frame with plastic inset feet

**Dimensions (mm)**

1200 W x 600 D x 850 H

Warranty: 10 years

**Bramley**

Units 5 & 7 Bramley Business Park,  
Railsfeld Rise, Bramley, Leeds, LS13  
3SA T: 0113 255 9555

**Macclesfield**

Brunel Road, Lyme Green Business Park,  
Macclesfield, SK11 0TA  
T: 01625 431979

**Bolton**

Interiors House, 2 Cranfield Road,  
Lostock, Bolton, BL6 4SB  
T: 01204 691008

**Leeds**

Green Sand Foundry,  
99 Water Lane, Leeds, LS11 5QN  
T: 0113 220 6000

